

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	mylly-kimmo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:18
L2	34	floman-matti\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:18
L3	1122	version near5 width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36
L4	14	L3 with width near3 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36
L5	5760	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36
L6	269	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36
L7	5760	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36
L8	13	L6 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:36

L9	269	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L10	13	L9 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L11	79	mode near5 register with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L12	8	L7 and L11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L13	285	version with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L14	4	L13 with configur\$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L15	418	(bus near3 width) near5 (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L16	17	L13 same L15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L17	166	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37
L18	3	L13 same L17	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:37

L19	31	L17 same L15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:38
L20	1	5 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 16:46
S9	1	"20050172040".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:34
S10	2	"20040137805".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:47
S11	2	"20050027316"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:25
S12	268	(detect\$3 determin\$5) near3 bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:49
S13	4	S12 and (insert\$3 plug\$4) near4 card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:53
S14	8169	(channel line pin) near3 indicat\$3 with width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:56
S15	3	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:54
S16	57	(channel line pin) near3 indicat\$3 with bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:27
S17	58	(channel line pin terminal) near3 indicat\$3 with bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:29

S18	58	(channel line pin terminal connector) near3 indicat\$3 with bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:29
S19	1	S18 not S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:28
S20	1055	(channel line pin terminal) near3 bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:29
S21	1075	(channel line pin terminal connector) near3 bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:32
S22	1080	(channel line pin terminal connector flag) near3 bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:32
S23	1099	(channel line pin terminal connector flag) near3 (bus near3 width)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:33
S24	1635	(channel line pin terminal connector flag) near3 (bus near3 (width wide))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:57
S25	1584	(maximum threshold) near3 (clock adj frequency)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:36
S26	45	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:41
S27	8	"6,351,820".pn. "5,802,305".pn. "5,410,714".pn. "5,671,368".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:41
S28	17	(channel line pin terminal connector flag) near3 (bus near3 (width wide)) with card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:53

S29	4	"bus width detector"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:56
S30	67	S24 and fast with slow	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 17:57
S31	3	mmc with (bus near3 (width wide))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 18:25
S32	9	MultiMediaCard adj specification	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:53
S33	2	"5553244".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:55
S34	19	electronic adj device adj2 card adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 12:00
S35	0	cedar-yoran\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 12:01
S36	25	cedar-yora\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 12:01
S37	17	"5070032".pn. "5095344".pn. "5168465".pn. "5172338".pn. "5198380".pn. "5200959".pn. "5268318".pn. "5268870".pn. "5272669".pn. "5418752".pn. "5602987".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 08:58
S38	4121	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:33
S39	1667	(channel line pin terminal connector flag) near3 (bus near3 (width wide))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:35

S40	86	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:35
S41	0	S40 and sdcard	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:35
S42	1877	sd adj2 card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:36
S43	4	S42 and S39	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:35
S44	0	("2005/0010710").URPN.	USPAT	OR	ON	2005/10/11 16:36
S45	0	("2005/0125584").URPN.	USPAT	OR	ON	2005/10/11 16:36
S46	34	S42 and S38	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:36
S47	19	(determin\$5 detect\$3 identif\$4) near3 (bus near3 width) near5 (version type model id identity identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:14
S48	24	(determin\$5 detect\$3 identif\$4) near3 (bus near3 width) with (version type model id identity identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:14
S49	24	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3) near3 (bus near3 width) with (version type model id identity identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:15
S50	5	S49 not S47	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 10:56
S51	102	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:23

S52	2	"6266720".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 11:58
S53	5	("5627416"   "5708799"   "5911050"   "5918202"   "6088746").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 12:05
S54	132	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 16:20
S55	27	S54 not S51	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:17
S56	11	version near5 (bus near2 width)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:19
S57	223	indicat\$4 near5 (bus near2 width)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:19
S58	8	S57 with (version type model id identity identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 16:20
S59	13	S57 with (version type model id identity identification uid voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 16:20
S60	4427	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:41
S61	33	S57 and S60	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 18:11
S62	132	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 18:12
S63	12	S60 and S62	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 18:12
S64	113	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:22

S65	113	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:24
S66	0	S64 not S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:23
S67	113	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:23
S68	357	(bus near3 width) near5 (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:36
S69	75	S68 and (sd sdio)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:26
S70	0	S68 same (sd sdio)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:25
S71	127	S68 and card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:25
S72	18	S68 same card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:25
S73	75	S68 and (sd sdio multimedia\$1card mmc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:35
S74	0	kenji-hibi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:38
S75	108	hibi-kenji.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:39



S76	54	S75 and toshiba\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:39
S77	8	S76 and card	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 13:59
S78	17	("5291189"   "5515482"   "5664078"   "5771046"   "5895502"   "5982398"   "6085268"   "6232986").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 13:59
S79	14	(bus near3 width) near5 (version)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:40
S80	125	(bus near3 width) near5 (voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:41
S81	4724	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:41
S82	130	(bus near3 width) near5 (voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 17:09
S83	8	S81 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:41
S84	28	("5594874").URFN.	USPAT	OR	ON	2006/08/29 17:09
S85	5	(bus near3 width) near5 (indirect)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 17:09

S86	14	(bus near3 width) near5 (indirect\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:53
S87	132	(bus near3 width) near5 (serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:52
S88	684	(bus word) near3 (width size) near5 (table list map)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:53
S89	29	S88 with (peripheral device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:53
S90	0	masaaki-yanagisawa\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:18
S91	26	yanagisawa-masaaki\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:19
S92	0	S91 and bus near3 width	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:19
S93	4	S91 and casio\$.as.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:19
S94	113	sd with register with mode	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 12:36
S95	3	sd near3 mode near3 register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 12:37

S96	74	mode near5 register with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:59
S97	247	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:55
S98	4761	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:55
S99	6	S96 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:56
SI00	11	S97 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:56
SI01	78	mode near5 register with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:20
SI02	5210	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:40
SI03	8	SI01 and SI02	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:20
SI04	257	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:26

SI05	13	S104 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:30
SI06	0	Milly-Kimmo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:30
SI07	19	mylly-kimmo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:58
SI08	28	floman-matti\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:34
SI09	987	version near5 width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:40
SI10	14	S109 with width near3 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:41
SI11	2	"5553244".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 16:09
SI12	2	"5517615".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:08
SI13	2	"5280598".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:08
SI20	21	mylly-kimmo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:58

SI21	5438	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:02
SI22	265	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:02
SI23	5438	710/15,62,100,300,104,307.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:04
SI24	13	SI22 and SI23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:02
SI25	78	mode near5 register with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:03
SI26	265	mode near5 register same ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:02
SI27	13	SI26 and SI21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:02
SI28	8	SI23 and SI25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:03
SI29	259	version with ((bus word) near3 (width size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:05

S130	1	S123 and S129	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:05
S131	159	(determin\$5 detect\$3 identif\$4 deduc\$3 conclud\$3 select\$3) near3 (bus near3 width) same (version type model id identity identification uid voltage)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:07
S132	396	(bus near3 width) near5 (version type model id identity identification uid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:08
S133	4	S129 with configur\$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:08
S134	16	S129 same S132	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:10
S135	3	S129 same S131	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:10
S136	28	S131 same S132	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:13
S137	27	f10man-matti.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 17:13

3/14/08 4:49:23 PM

C:\Documents and Settings\DMartinez\My Documents\EAST\Workspaces\10-723261 Bus Detection in an  
Expansion Card.wsp